

C O N V E Y O R S T A C K E R C F 6

Make faster headway with your mail: Frama Matrix franking system with Conveyor Stacker CF6

Medium-sized and larger businesses value the efficiency and convenience of Frama Matrix franking systems. Now Frama offers a welcome performance boost with the Conveyor Stacker CF6 for routine franking of larger quantities of mail. It returns letters to where they were originally placed for franking: neatly stacked, right under the feeder, so you can take them out again without hurry or having to move around.




With the new Frama Conveyor Stacker CF6, it's only the letters that move. You can simply stand in the same spot.

Installation is a breeze! Simply place your Frama Matrix franking system on top of the conveyor stacker and off you go. Its unique, compact design saves space and looks good in any mailroom. A scale S can also be flexibly located at the ideal operating position, if required.


Operation couldn't be easier! Two simple adjustments – letter size and conveyor speed – and you're ready to start.

A stunningly straightforward system! Letters are franked in one direction, then returned and stacked in the other. Your advantage: Place a stack of letters on the feeder of your Frama Matrix franking system, then pick them up off the conveyor, franked and neatly stacked. You don't have to change position at all. That's how easy franking can be these days.





Place it on top – job done!
It's a breeze to team up your Frama Matrix franking system with the CF6: it requires no installation or additional working space.
Dimensions (incl. Matrix franking system): length 1560 mm (letter stop fully extended), depth 337 mm, height 368 mm.



The Frama Conveyor Stacker CF6 handles any size letter, from the smallest all the way to C4/B4 portrait, and as thick as 10 mm. One single-action adjustment and you're ready to swing into whisper-quiet action.



The conveyor speed is continuously adjustable and thus adapts without any problem to the letter length and the speed of your Frama Matrix franking system. After the last franking operation, use fast forward mode to stack the remaining letters in less than three seconds.



Franked letters stack up neatly in the output tray, without jamming. Lift them out when they're ready, and meanwhile take it easy with loading more letters for franking. Simple – fast – efficient!



Frama

Frama AG, founded in 1970, has always been characterised by progressive evolution towards greater convenience, enhanced intelligence and constant improvement.

Up until the end of the eighties, we manufactured mechanical masterpieces – robust franking machines that provided trouble-free service for decades. Since then we have incrementally and systematically replaced mechanical components with electronics for simpler and more cost-effective operation. At the same time we have developed comprehensive modular solutions with great development potential; they grow along with the tasks they are given, offering you ideal investment protection.

Added value

Whether in intelligent, networked franking systems or fully automated integral system solutions, Frama creates added value by uncompromisingly focusing on your needs.

System competence

By concentrating our talent in a single location, we systematically preserve and develop strategic know-how inhouse at our Swiss headquarters.

Quality

All our products and systems are manufactured in Switzerland – according to state-of-the-art technology and unsurpassed quality standards, by highly qualified employees who receive first class training.

Competitive edge

Our unique technological competence gives us the independence, flexibility and speed of response required for a continuous market inflow of benchmarking innovations.

Solutions

Our wide offering of franking and weighing systems is optimally rounded off with supplementary products such as letter openers and folding machines, as well as comprehensive support services.

Telephone: 0191 2661300

Email: info@1st-clas-mailing.co.uk



F R A M A 
S M A R T M A I L I N G